

Website: http://www.modesty-germany.com

Infusion Stand Adjustable Height.





- * Telescopic tubes made from non-magnetic Stainless Steel material.
- * Five leged Nylon base.
 * Mobile on 5 Twin wheel swivel castors Ø 50 mm.
- * Secure locking system for height adjustment.
 * Height adjustment from 120 cm to 207 cm.
 * 2 or 4 safety hooks.
 * Knock down construction.

Cat. No.	Description
IV-1105-2NP	Infusion Stand Adjustable Height, Nylon Base & Plastic 2 Hooks.
IV-1105-4NP	Infusion Stand Adjustable Height, Nylon Base & Plastic 4 Hooks.
IV-1104-2NC	Infusion Stand Adjustable Height, Nylon Base & S/S 2 Hooks.
IV-1104-4NC	Infusion Stand Adjustable Height, Nylon Base & S/S 4 Hooks.



Infusion Stand Adjustable Hieight.





- * Telescopic tubes made from non-magnetic Stainless Steel material.
- * Five leged Nylon / Stainless Steel base. * Mobile on 5 Twin wheel swivel castors Ø 50 mm.
- * Secure locking system for height adjustment.
 * Height adjustment from 120 cm to 207 cm.
 * 2 or 4 safety hooks.
 * Knock down construction.

Cat. No.	Description
IV-1004-2P	Infusion Stand Adjustable Height, Heavy Nylon Base & S/S 2 Hooks.
IV-1004-4P	Infusion Stand Adjustable Height, Heavy Nylon Base & S/S 4 Hooks.
IV-1114-2SS	Infusion Stand Adjustable Height, S/S Base & S/S 2 Hooks.
IV-1114-4SS	Infusion Stand Adjustable Height, S/S Base & S/S 4 Hooks.







- * Telescopic non-magnetic Stainless Steel tubes.
- * Five leged aluminum base.
- * Mobile on 5 anti-static twin wheel swivel castors Ø 50 mm, with brakes
- * Secure locking system for height adjustment.
- * Height adjustment from 146 cm to 260 cm.
- * 4 stainless steel safety hooks.
- * Knock down construction.

Cat. No.	Description
IV-3222-SS	Infusion Stand with Aluminum Base & S/S Hooks.





Height Locking System



Aluminum Base with Anti-Static Wheels with Brake

Halogen / Normal Examination Lights





Features:-



- * Non-magnetic Stainless Steel central tubes.
- * Reinforced nylon base with 5 feet.
- * Mobile on twin wheel swivel castors Ø 50 mm .
- * Flexible goose neck arm 700 mm.
- * Step down transformer 230V, 50W.
- * Halogen Bulb 12 V, 35 W, 10° angle of emission with UV block
- * Input voltage : 220/230V 50-60Hz.
- * Knock down construction.

HL-1220-WM

Cat. No.	Description
HL-1220-PP	Halogen Examination Light, Adjustable Height, Mobile.
HL-1210-FH	Halogen Examination Light, Fixed Height, Mobile.
HL-1220-WM	Halogen Examination Light, Wall Mounted.







- * Reinforced nylon base with 5 feet.
- * Mobile on twin wheel swivel castors Ø 50 mm .
- * Flexible goose neck arm 500 mm.
- * Normal Bulb 220 V, 60 W.
- * Input voltage: 220/230V 50-60Hz.
- * Knock down construction.



EL-1230-PS

Cat. No. **Description** EL-1230-PS Examination Light Fixed Height, Mobile.

Revolving Stool Adjustable Height





PS-5638-LT

Features:-

- * Reinforced nylon base with 5 feet.
- * Mobile on 5 twin wheel swivel castors Ø 50 mm.
- * Gas lift for height adjustment from 490 680 mm.
- * Seat made from imitation leather upholstery with 50 mm thick high density foam padding,
- * Knock down construction.

Cat. No.	Description
PS-5638-LT	Revolving Stool Adjustable Height, Upholstered Seat & Nylon Base.

- * Non magnetic stainless steel base with 5 feet.
- * Mobile on 5 twin wheel swivel castors Ø 50 mm.
- * Gas lift for height adjustment from 390 580 mm.
- * Non magnetic stainless steel seat.
- * Knock down construction.

Cat. No.	Description
PS-5638-SS	Revolving Stool Adjustable Height, Stainless Steel Seat & S/S Base.



PS-5638-SS

Revolving Stool Adjustable Height With Backrest



DC-5670-LPU



Features:-

- * Reinforced nylon base with 5 feet.
- * Mobile on 5 twin wheel swivel casters Ø 50 mm.
- * Gas lift for height adjustment from 520 710 mm.
- * Seat with high back rest made from imitation leather upholstery with 50 mm thick high density foam padding,
- * Foot support ring.
- * Knock down construction.

Cat. No.	Description
DC-5670-LPU	Operating Stool Adjustable Height, With High Back Rest.

- * Reinforced nylon base with 5 feet.
- * Mobile on 5 twin wheel swivel casters Ø 50 mm.
- * Gas lift for height adjustment from 530 720 mm.
- * Seat with low back rest made from imitation leather upholstery with 50 mm thick high density foam padding,
- * Foot support ring.
- * Knock down construction.

Cat. No.	Description
LN-5770-LPU	Laboratory Stool Adjustable Height, With Low Back Rest.



LN-5770-LPU

Examination Couch (Quick Assembling)





Features:-

- * Structure made from non-magnetic Stainless Steel Tube.
- * Imitation leather upholstery with 50 mm thick foam padding.
- * Single hand operated adjustable back rest.
- * Provision for paper roll holder at both ends.
- * Holder for Paper Roll.
- * Quick assembly design.

Cat. No.	Description
ECF-2970-SS	Examination Couch With Paper Roll Holder. Dimensions: L 186 cm x W 62 cm x H 75 cm.
ECG-2980-SS	Examination Couch With Paper Roll Holder. Dimensions: L 195 cm x W 62 cm x H 75 cm.



Paper Roll (Optional)



Export Packing

Upholstery Colors Available

Color	Code	Color	Cod
Black	2121-1	Blue	2121
White	2121-2	Dark Maroon	2121-
Beige	2121-5	Dark Green	2121-1
rey	2121-8	S. White	2121-2

Massage Couch With Nose Cut.





MC-1905-SS

Features:-

- * Structure made from non-magnetic Stainless Steel Tube.
- * Imitation leather upholstery with 50 mm thick foam padding.
- * Single hand operated adjustable back rest, with nose cut.
- * Provision for paper roll holder at both ends.
- * Holder for Paper Roll.



MC-2000-SS

Cat. No.	Description
MC-1905-SS	Massage Couch With Nose Cut. Dimensions:- L 195cm x W 62cm x H 75cm.
MC-2000-SS	Massage Couch With Nose Cut. Dimensions:- L 200cm x W 80cm x H 75cm.

Upholstery Colors Available

Color	Code	Color	Code
Black	2121-1	Blue	2121-9
White	2121-2	Dark Maroon	2121-11
Beige	2121-5	Dark Green	2121-13
Grey	2121-8	S. White	2121-21

Gynecology Examination Couches





GCF-3161-SS

GCF-3060-SS

Features:-

- * Structure made from Non-magnetic stainless steel tube.
- * Imitation leather upholstery with 50mm thick foam padded.
- * Single hand operating adjustable backrest.
- * Extendable sliding foot section.
- * Lithotomy poles with PU leg support.
- * Stainless steel tray for drainage.
- * Paper roll holder.
- * Foldable Legs.
- * Quick Assembling Design.

Dimension:

Head Section: 77 cm x 61 cm Seat: 57 cm x 61 cm

Height: 86 cm

Cat. No.	Description	
GCF-3161-SS	Gynecology Examination Couc	:h

with Lithotomy Poles, Drainage Tray, Paper Roll Holder and

GCF-3060-SS Gynecology Examination Couch with Lithotomy Poles, Drainage

Tray and Paper Roll Holder.

Attached Foot Step



Paper Roll Holder



Stainless Steel Drainage Tray



Foam Padded



Export Packing

Upholstery Colors Available

	•		_
Color	Code	Color	Code
Black	2121-1	Blue	2121-9
White	2121-2	Dark Maroon	2121-11
Beige	2121-5	Dark Green	2121-13
Grey	2121-8	S. White	2121-21

Foot Stools



FS-4047-DR



- * Frame made from non-magnetic Stainless Steel tube.
- * Step made from MDF, covered with anti slip rubber pad.

 * Rubber foot caps for stability.

 * Knock down construction.

Cat. No.	Description
FS-4047-DR	Foot Stool, Double Step. Dimensions: L 51 cm x W 40 cm x H 35.5 cm
FS-4036-SR	Foot Stool. Single Step. Dimensions: L 46 cm x W 28 cm x H 22 cm



FS-4036-SR

Cat. No.	Description
FSR-4137-SR	Foot Stool, Single Step With Hand Rail. Dimensions: L 46cm x W 28cm x H 91cm
FSD-4147-SR	Foot Stool, Double Step With Hand Rail. Dimensions: L 51 cm x W 40 cm x H 91cm





FSD-4147-SR

FSR-4137-SR

Ward Screen With PVC Curtains.





PF-1763-N

- * Structure made from non-magnetic Stainless Steel tube.
- * Folding panels, each 61cm wide.
- * PVC washable and flame retardant curtains for each section.
- * Mobile on twin wheel swivel castors Ø50mm, for easy movement.
 * Knockdown Construction.

Cat. No.	Description
PF-1763-N	Ward Screen Three Folds, With PVC Curtain. Dimensions:- Height: 175cm
	Extended Width: 184cm
PF-1764-N	Ward Screen Four Folds, With PVC Curtain. Dimensions:- Height: 175cm Extended Width: 245cm



PF-1764-N

Instrument Cabinets





- * Constructed from enameled steel sheet.
- * Lock-able glass/metal doors.

 * Adjustable glass shelves..

 * Elegant appearance.

 * Knock down construction.

Cat. No.	Description
IC-5336-1D	Instrument Cabinet, 1 Door. Dimensions : L 53 cm x W 36 cm x H 144 cm.
IC-7538-2D	Instrument Cabinet, 2 Doors. Dimensions: L 75 cm x W 38 cm x H 169 cm.
IC-7638-4D	Instrument Cabinet, 4 Doors. Dimensions: L 75 cm x W 38 cm x H 169 cm.



IC-7538-2D



IC-7638-4D

X-Ray View Boxes.



Features:-



- * Steel Housing with scratch and chip resistant thermosetting epoxy-polyster powder finishing.
- * Unbreakable white monochromatic diffuser with supporting device.
- * Viewing Area of each panel 40cm x 42cm.
- * Secure X-Ray film retaining mechanism.
- * Instant start, Fluorescent cold light.
- * Two-way on/off switch.
- * Input voltage : 220/230V 50-60Hz.
- * Wall mounted model.

Cat. No.	Description
M604043	X-Ray Film Viewer Single (One Panel). Dimensions : 40 cm x 43 cm
M608043	X-Ray Film Viewer Double (Two Panel). Dimensions: 80 cm x 43 cm
M612043	X-Ray Film Viewer Triple (Three Panel). Dimensions: 120 cm x 43 cm
M616043	X-Ray Film Viewer Tetra (Four Panel). Dimensions: 160 cm x 43 cm




M604043



M608043





M612043 M616043

Kick Bucket / Bowl & Pedal Bins



KB-1336-PU




KB-1830-PU



PB-3927-12





- * 5 Vertical supports with rubber sleeves to hold the Bucket / Bowl.
- * Mobile on 5 twin wheel swivel castors Ø 50 mm.
- * One piece Stainless Steel Bucket / Bowl.

Cat. No.	Description
KB-1336-PU	Kick Bucket Dimensions: Base Ø :40cm x Height: 36cm
KB-1830-PU	Kick Bowl Dimensions: Base Ø :40cm x Height: 18.5cm



PB-4630-20



PB-6330-30

<u>reatures:-</u>	Cat. No.	Description
* Constructed from non-magnetic Stainless Steel sheet.	PB-3927-12	Pedal Bin With Lid, 12 Liters.
* Inner waste receptacle made from durable plastic.	PB-4630-20	Pedal Bin With Lid, 20 Liters.
* Foot operated plastic lid rests on plastic ring when closed to avoid noisy collision.	PB-6330-30	Pedal Bin With Lid, 30 Liters.

Blood Donor Chairs







- * Reinforced nylon base with 5 feet.* Mobile on 5 twin wheel swivel casters Ø 50 mm.
- * Gas lift for height adjustment from 520 710 mm.
- * Seat and backrest upholstered with imitation leather with high density foam padding.
- * Padded armrest, adjustable in any position for patient conveniences.

 * Knock down construction.

Cat. No.	Description
BC-9774-PU	Blood Donor Chair With One Padded Armrest.
BC-9784-PU	Blood Donor Chair With Two Padded Armrest.



BC-9784-PU

Trolleys with Single Drawer





DT-5542-2DW

Features:-

- * Structure made from non-magnetic Stainless Steel tube.
- * Flat trays made from non-magnetic Stainless Steel sheet.
- * Stainless Steel Drawer with SS Handle.
- * Mobile on twin wheel swivel castors Ø75mm, all with independent brakes.

 * Impact absorbing Buffers for wall protection.

 * Knockdown Construction.


Dimensions: L 55cm x W 42cm x H 80cm

Cat. No.	Description
DT-5542-2DW	Dressing Instrument Trolley 2 Shelves with Drawer. Overall Dimensions:- L 55 cm x W 42 cm x H 80 cm
DTR-5542-2DW	Dressing Instrument Trolley 2 Shelves with side Rails & Draw Overall Dimensions:- L 55 cm x W 42 cm x H 80 cm



DTR-5542-2DW

Dressing / Instrument Trolleys



all with independent brakes.

* Knockdown Construction.

* Impact absorbing Buffers for wall protection.

Dimensions: L 55cm x W 42cm x H 80cm







DT-5543-3PU

Cat. No. **Description** DT-5542-2PU Dressing /Instrument Trolley 2 Shelves DT-5543-3PU Dressing /Instrument Trolley 3 Shelves DTR-5542-2PU Dressing /Instrument Trolley 2 Shelves With Side Rails Dressing /Instrument Trolley 3 Shelves DTR-5543-3PU With Side Rails



DTR-5542-2PU



DTR-5543-3PU



Dressing / Instrument Trolleys.



DT-7050-2PU



Features:-

- * Structure made from non-magnetic
- Stainless Steel tube.

 * Flat trays made from non-magnetic Stainless Steel sheet.
- * Mobile on twin wheel swivel castors Ø75mm, all with independent brakes.

 * Impact absorbing Buffers for wall protection.

 * Knockdown Construction.

Dimensions: L 70cm x W 50cm x H 80cm



DT-7051-3PU

Cat. No.	Description
DT-7050-2PU	Dressing /Instrument Trolley 2 Shelves
DT-7051-3PU	Dressing /Instrument Trolley 3 Shelves
DTR-7050-2PU	Dressing /Instrument Trolley 2 Shelves With Side Rails
DTR-7051-3PU	Dressing /Instrument Trolley 3 Shelves With Side Rails



DTR-7050-2PU



DTR-7051-3PU

Instrument Trolley, 2 Flat Shelves







- * Structure made from non-magnetic Stainless Steel tube.
- * Flat trays made from non-magnetic Stainless Steel sheet.
- * Mobile on twin wheel swivel castors Ø75mm, all with independent brakes.
- * Impact absorbing Buffers for wall protection.
 * Knockdown Construction.

Cat. No.	Description
ITF-4645-2PU	Instrument Trolley, 2 Flat Shelves. Dimensions: L 46 cm x W 46 cm x H 85 cm.
ITF-6045-2PU	Instrument Trolley, 2 Flat Shelves. Dimensions: L 60 cm x W 46 cm x H 85 cm.
ITF-7645-2PU	Instrument Trolley, 2 Flat Shelves. Dimensions: L 76 cm x W 46 cm x H 85 cm.




ITF-6045-2PU



ITF-7645-2PU

Instrument Trolley, 2 Flat Shelves With Side Rails







- * Structure made from non-magnetic Stainless Steel tube.
- * Flat trays made from non-magnetic Stainless Steel sheet.
- * Stainless Steel Side Rails.
- * Mobile on twin wheel swivel castors Ø75mm, all with independent brakes.
- * Impact absorbing Buffers for wall protection.
- * Knockdown Construction.

Cat. No.	Description
ITR-4645-2PU	Instrument Trolley, 2 Flat Shelves With Side Rails. Dimensions: L 46 cm x W 46 cm x H 85 cm.
ITR-6045-2PU	Instrument Trolley, 2 Flat Shelves With Side Rails. Dimensions: L 60 cm x W 46 cm x H 85 cm.
ITR-7645-2PU	Instrument Trolley, 2 Flat Shelves With Side Rails. Dimensions: L 76 cm x W 46 cm x H 85 cm.




ITR-6045-2PU



ITR-7645-2PU

Instrument Trolley, 2 Shelves With Raised Edges.







- * Structure made from non-magnetic Stainless Steel tube.
- * Trays with raised edges, made from non-magnetic Stainless Steel sheet.
- * Mobile on twin wheel swivel castors Ø75mm, all with independent brakes.
- * Impact absorbing Buffers for wall protection.
 * Knockdown Construction.

Cat. No.	Description
ITE-4645-2PU	Instrument Trolley, 2 Shelves With Raised Edges. Dimensions: L 46 cm x W 46 cm x H 85 cm.
ITE-6045-2PU	Instrument Trolley, 2 Shelves With Raised Edges. Dimensions: L 60 cm x W 46 cm x H 85 cm.
ITE-7645-2PU	Instrument Trolley, 2 Shelves With Raised Edges. Dimensions: L 76 cm x W 46 cm x H 85 cm.



ITE-6045-2PU



ITE-7645-2PU

Wash Basin Trolleys





SBS-4438-N

- * Structure made from non-magnetic Stainless Steel tube.
- * Stainless Steel basin 6 liter capacity.
- * Mobile on twin wheel swivel castors Ø 75mm, all with independent brakes.
- * Impact absorbing Buffers for wall protection.
 * Complete welded / knockdown construction.

Cat. No.	Description
SBS-4438-N	Wash Basin Trolley with Single Basin. Dimensions:- L 45cm x W 40cm x H 84cm
DBS-8438-N	Wash Basin Trolley with Double Basin. Dimensions:- L 80cm x W 40cm x H 84cm



DBS-8438-N

Mayo Instrument Trolley





MT-5540-N

- * Structure made from non-magnetic Stainless Steel tube.
- * Removable Stainless Steel Tray 530 x 400 mm. * Height Adjustment from 960 to 1500 mm with Secure locking system.
 * Mobile on twin wheel swivel castors Ø50mm.
- Dimensions: L 53 cm x W 40 cm x H 96 150 cm.

Cat. No.	Description
MT-5540-N	Mayo Instrument Trolley, With 4 Wheels, 2 with independent Brakes.
MT-5640-L	Mayo Instrument Trolley, With 2 Wheels.



MT-5640-L

Soiled Linen & Linen Changing Trolleys.





LT-9550-PU

- * Structure made from non-magnetic Stainless Steel tube.
- * Stainless Steel Ring \emptyset 50cm to hold linen bag.
- * Removable Nylon Linen.
 * Mobile on twin wheel swivel castors, all with independent brakes.
- * Impact absorbing Buffers.

Cat. No.	Description
LT-9550-PU	Soiled Linen Trolley Single, with Removable Nylon Bag.
LT-9580-PU	Soiled Linen Trolley Double, with Removable Nylon Bags.
LC-5590-2RW	Linen Changing Trolley With Two Shelves & One Linen Bag



LT-9580-PU



LC-5590-2RW

Patient Trolley With Mattress.





PT-6020-RW

Features:-

- * Structure made from non-magnetic Stainless Steel Tube.
- * High pressure laminated flat surface.
- * Mobile on rubber swivel wheels, all with Independent brake.
- * High density foam mattress with fluid resistant and flame retardant cover.
- * Provision For I.V. Pole.
- * Knock down construction.

Dimensions: L 200cm x W 62cm x H 75cm

Cat. No. Description

PT-6020-RW Patient Trolley With Mattress



Collapsible Side Rails, Stainless Steel (Optional)



Gas Cylinder Holder, Stainless Steel (Optional)



Storage Tray, Stainless Steel (Optional)



Infusion Stand With 2 Hooks, Stainless Steel (Optional)

Patient Trolley Adjustable Backrest With Mattress





PTF-6525-RW

Features:-

- * Structure made from non-magnetic Stainless Steel Tube.
- * Two section platform with high pressure laminated surface.
- * Backrest adjustment by means of Gas Cylinder
- * Mobile on rubber swivel wheels, all with Independent brake.
- * High density foam mattress with fluid resistant and flame retardant cover.
- * Provision For I.V. Pole.
- * Knock down construction.

Dimensions: L 200cm x W 62cm x H 75cm

Cat. No.	Description
PTF-6525-RW	Patient Trolley Adjustable Backrest With Mattress



Collapsible Side Rails, Stainless Steel (Optional)



Gas Cylinder Holder, Stainless Steel (Optional)



Storage Tray, Stainless Steel (Optional)



Infusion Stand With 2 Hooks, Stainless Steel (Optional)

Hospital Bed Two Section



E-210-G

Features:-

- * Steel structure with scratch and chip resistant thermosetting epoxy-polyster powder finishing.
- * Backrest adjustment by Gas spring.
- * Detachable ABS blow molded Head / Foot boards with non-protruding hook lock mechanism, comes with built in protective bumpers.
- * PU swivel castors all with independent brake.
- * Provision for IV pole.
- * Provision for Lifting pole.

Cat. No.	Description
E-210-G	Hospital Bed Two Section



Dimensions:-

Mattress Base: L2050mm x W1005mm

Height: 560mm



Foam Mattress with Fluid Resistant & Flame Retardant Cover. (Optional)



Collapsible Aluminum Side Rails (Optional)



Stainless Steel I.V. Pole with 2 Hooks (Optional)



Lifting Pole (Optional)

Hospital Bed Four Section



E-220-G

Features:-

- * Steel structure with scratch and chip resistant thermosetting epoxy-polyster powder finishing.
- * Backrest & Leg rest adjustment by Gas spring.
- * Detachable ABS blow molded Head / Foot boards with non-protruding hook lock mechanism, comes with built in protective bumpers.
- * PU swivel castors all with independent brake.
- * Provision for IV pole.
- * Provision for Lifting pole.

Cat. No.	Description
E-220-G	Hospital Bed Four Section



Dimensions:-

Mattress Base: L2050mm x W1005mm

Height : 560mm



Foam Mattress with Fluid Resistant & Flame Retardant Cover. (Optional)



Collapsible Aluminum Side Rails (Optional)



Stainless Steel I.V. Pole with 2 Hooks (Optional)



Lifting Pole (Optional)

Hospital Bed Four Section With Hi-Low





Features:-

- * Steel structure with scratch and chip resistant thermosetting epoxy-polyster powder finishing.
- * Backrest & Leg rest adjustment by Gas spring.
- * Hi-Low bed adjustable via coil spring assisted crank mechanism.
- * Detachable ABS blow molded Head / Foot boards with non-protruding hook lock mechanism, comes with built in protective bumpers.
- * PU swivel castors all with independent brake.
- * Provision for IV pole.
- * Provision for Lifting pole.

Cat. No.	Description
E-320-G	Hospital Bed Four Section With Hi-Low



Dimensions:-

Mattress Base: L2050mm x W1005mm

Hi-Low : H450 - 780mm



Foam Mattress with Fluid Resistant & Flame Retardant Cover. (Optional)



Collapsible Aluminum Side Rails (Optional)



Stainless Steel I.V. Pole with 2 Hooks (Optional)



Lifting Pole (Optional)

Electric Bed Four Section With Hi-Low





Features:-

- * Steel structure with scratch and chip resistant thermosetting epoxy-polyster powder finishing.
- * Variable bed base height from 46cm to 82cm by means of electrical actuator activated by remote control handset.
- * Adjustable backrest from 0° to 80° and knee rest section from 0° to 40° by means of electrical actuators activated by remote control handset.
- * Detachable ABS blow molded Head / Foot boards with non-protruding hook lock mechanism, comes with built in protective bumpers.
- * 150mm Twin wheel PU swivel castors with central locking mechanism.
- * The 3 positions of total brake, free movement and directional steer are controlled by brake pedals located on both sides of the bed at foot end.
- * Provision for IV Pole with detachable IV pole.
- * Provision for Lifting Pole.

Cat. No.	Description
HC-621	Electric Bed Four Section With Hi-Low



Technical Data

Mattress Base: L2130mm x W1060mm

Hi-Low : H460 - 820mm

Maximum allowed load : 170 Kg Voltage single phase : 240V, 50Hz



100mm Thick Foam Mattress with Medical Grade, Anti Microbial, Fluid Resistant & Flame Retardant Cover.



Collapsible Aluminum Side Rails



Stainless Steel I.V. Pole with 2 Hooks



Lifting Pole (Optional)

ICU Electric Bed





M-700

Dimensions:-

Mattress Base: L2180mm x W1000mm

Back : 0°-80°Leg0°-40° Hi-Lo : 460mm-820mm Trend : 0°-12° and 0°-6°

- * Steel structure with scratch and chip resistant thermosetting epoxy-polyester powder finishing.
- * Height / Back / Leg adjustment by means of electrical actuators activated by remote control hand set.
- * Built in Back-up battery.
- * CPR lever for emergency override positioning on back area.
- * X-Ray capability for backrest section.
- * Trendelenburg & reverse Trendelenburg position achievable by advanced gas spring.
- * Detachable ABS blow molded Head / Foot boards with non-protruding hook lock mechanism.
- * 150mm Twin wheel PU swivel castors with central locking mechanism.
- * Protective bumpers on all four corners.
- * 4 swing down gas assisted PU side rails.
- * Patient Grade technology mattress.
- * Provision for IV Pole with detachable IV pole.
- * Provision for Lifting Pole.

Cat. No.	Description	
M-700	ICU Electric Bed	



Trendelenburg



Reverse Trendelenburg



Stainless Steel I.V. Pole with 2 Hooks



Lifting Pole (Optional)

Patient Chart Holders.





CH-3423-PP

- * Board made form 4 mm thick Plexiglass, provides smooth work surface whilst being light and easy to clean.

 * Stainless Steel hook to hang on the Bed.

 * Nickel plated spring clip with positive action.

 * Useable for A4 size paper.

Cat. No.	Description
CH-3423-PP	Patient Chart Holder With Hook to Hang On The Bed. (Vertical) Dimensions: W 23 cm x H 34 cm
CH-2334-PP	Patient Chart Holder With Hook to Hang On The Bed. (Horizontal) Dimensions: W 34 cm x H 23 cm



CH-2334-PP

Bedside Lockers.





BL-5046-PU

- * Structure made from medium density fiber board with high Pressure laminate surface.
 * Spacious drawer with roller slides for
- smooth movement.
- * Lower cupboard with single door and one inner shelf.
- * Mobile on twin swivel wheel castors Ø 50mm for easy handling and maneuverability.

Cat. No.	Description
BL-5046-PU	Bedside Locker With Rails. Dimensions : W 43cm x D 48cm x H 87cm
BL-5048-N	Bedside Locker With Flat Top. Dimensions : W 48cm x D 49cm x H 80cm



BL-5048-N

Over Bed Table





OT-9040-EC

Features:-

- * Steel structure with scratch and chip resistant thermosetting epoxy-polyster powder finishing. * Top made from medium density fiber board
- * Top made from medium density fiber board with high Pressure laminate surface
- * Mobile on twin swivel wheel castors Ø 40mm for easy handling and maneuverability.
- * Height adjustment with automatic locking at desired hgiht between 79cm 110cm
- * Knock down construction.

Dimensions of Top: 90cm x 40cm

Cat. No.	Description
OT-9040-EC	Over Bed Table Adjustable Height With Flat Top
OT-9141-EC	Over Bed Table Adjustable Height With Tilt-able Top



OT-9141-EC

Infant Cot & Child Cot





IC-9155-RW

- * Steel structure with scratch and chip resistant thermosetting epoxy-polyster powder finishing.

 * Sliding side rails on both sides.

 * High density foam mattress with fluid
- resistant and flame retardant cover.
- * Mobile on swivel wheel castors Ø 75mm, two with independent brakes.
- * Knock down construction.

Cat. No.	Description
IC-9155-RW	Infant Cot With Sliding Side Rails & Mattress. Overall Dimensions:- L 91cm x W 56cm x H 124cm
CC-1480-RW	Child Cot With Sliding Side Rails & Mattress. Overall Dimensions:- L 135cm x W 76cm x H 136cr



CC-1480-RW

Bassinet Trolley



BT-7693-PU



Features:-

- * Structure made form non-magnetic Stainless Steel tube.
- * Strong Poly Carbonate crib with ribs to improve mattress ventilation.
- * Both sides tilt by simple mechanism.
- * Mobile on Rubber Swivel Wheels Ø 100 mm, all with independent brakes.
- * Mattress with water proof & flame retardant cover.
- * Impact absorbing Buffers for wall protection.

Dimensions:-

Overall Length : 750 mm Overall Width : 440 mm Overall Height : 940 mm

Cat. No.	Description
BT-7693-PU	Bassinet Trolley with Mattress

Lower Shelf For Additional Storage, Stainless Steel (Optional)



Mesh Basket, Steel Epoxy Powder Coated (Optional)



Tel. # 0049 - 30 - 324 8392 , Fax # 0049 - 30 - 323 8333

E-mail: modint@modesty-germany.de, Website: http://www.modesty-sports.com